ORIGINAL ARTICLE

Soil development and fertility characteristics of inland valleys in the rain forest zone of Nigeria: Physicochemical properties and morphological features

Susumu S. ABE¹, Gbade O. OYEDIRAN², Sadahiro YAMAMOTO³, Tsugiyuki MASUNAGA⁴, Toshimasa HONNA³ and Toshiyuki WAKATSUKI⁵

¹United Graduate School of Agricultural Sciences and ³Faculty of Agriculture, Tottori University, Tottori 680-8553, ⁴Faculty of Life and Environmental Science, Shimane University, Matsue 690-8504, ⁵Faculty of Agriculture, Kinki University, Nara 631-8505, Japan; and ²Department of Agronomy, Ladoke Akintola University of Technology, Ogbamoso, Nigeria

Abstract

Inland valleys are a widespread topography in West Africa and have significant potential for agricultural development, especially wet rice cultivation. This study investigated the physicochemical and morphological properties of the soils of two inland valleys in Abakaliki and Bende, Southeast Nigeria, where the soils are derived from shale materials, and discusses their agricultural potential as well as the soil-forming process. Particle size analysis suggested that the soils at both sites were fine-silty, fine-loamy or clayey and, thus, would be able to retain a high amount of water. In contrast, the higher content of clay and silt in the Abakaliki soils would enhance much more water retention than the Bende soils. The soils in Abakaliki, except for some subsoil horizons, generally had acidic reactions, low contents of exchangeable bases (Ca, Mg, K and Na) and high amounts of exchangeable acidity (Al and H) for which leaching effects under high precipitation in the area would be implicated. Bray-1 P values in these soils were generally low under such acidic conditions, while organic C and total N were recorded at relatively high levels, in particular at the surface horizons, reflecting large biomass production under a humid climate. The Bende soils showed similar chemical properties to Abakaliki except for relative accumulation of exchangeable bases throughout the profile on the downslope possibly because of the rolling topography. This result suggested that geological fertilization (i.e. afflux of nutrients released during the soil formation in the upland into the lowland) was more beneficial in Bende than Abakaliki. From the findings of the present study, we concluded that soils in both Abakaliki and Bende had good texture for sawah development (leveled and bounded rice field with an inlet and an outlet for irrigation and drainage), but their poor chemical properties would be constraints for agricultural production.

Key words: geomorphology, hydromorphic soil, inland valleys, physicochemical properties, Southeast Nigeria, water movement.

INTRODUCTION

It has been estimated that 62% of the total rice production in West Africa comes from the wetlands (West Africa Rice Development Association 2004), which highlights the significant role of lowland ecosystems in rice production. In particular, inland valleys have been recognized as having great potential for the production of swamp rice

Correspondence: S. S. ABE, Laboratory of Soil Science, Faculty of Agriculture, Tottori University, Tottori 680-8553, Japan. Email: shinabe@phanes.muses.tottori-u.ac.jp Received 26 July 2006.

Accepted for publication 21 November 2006.

(Wakatsuki and Masunaga 2005; West Africa Rice Development Association 2002; Windmeijer and Andriesse 1993). However, only 15% or less of the total area of inland valleys in the region has, to date, been under cultivation despite the agricultural potential of inland valleys (International Institute of Tropical Agriculture 1990; West Africa Rice Development Association 1997) because of a lack of understanding of inland valley ecosystems. Andriesse and Fresco (1991) described rice-growing environments in inland valleys based on agro-ecological characterization. Issaka *et al.* (1997), Buri *et al.* (1999) and Abe *et al.* (2006; 2007) recorded the general fertility status and material nature

of inland valley soils over West Africa. These studies have improved our understanding of how best to utilize inland valley ecosystems. However, intensive assessment on soil properties and, thus, agricultural potential in specific locations has been scarce. Inland valleys under the rain forest climate in Southeast Nigeria are a typical case. The soils in this area have formed in shale materials and are assumed to have distinctive properties, although most soils in West Africa derive from granites and metamorphic rocks (Windmeijer and Andriesse 1993). Therefore, we investigated the physicochemical and morphological properties of the soils in two inland valleys of Abakaliki and Bende, Southeast Nigeria, and speculate on the agricultural potential of these soils and the soil-forming process.

MATERIALS AND METHODS

Two inland valley systems, one near Abakaliki (N 6°15′, E 8°8′) and the other in Bende (N 5°30′, E 7°40′), were selected for this study (Fig. 1). Both sites are located in the southeastern part of Nigeria and have a tropical humid climate with an average annual precipitation of approximately 2,000 mm in a bimodal distribution and a mean annual daily temperature of approximately 27°C. The Abakaliki site lies on a gently undulating peneplain, while the Bende site has a rolling topography. The soils of Abakaliki derive from Cretaceous black shale and siltstone or shale and limestone, while the geological materials of Bende are Tertiary clays, clayey

sands and shale, clays and shale with limestone (Federal Survey 1992). Nevertheless, our field survey indicated that the inland valley of Bende had segregation of geological materials (i.e. sandstone in the upland but shale in the wetland). The Abakaliki site had been under swamp rice cultivation for hundreds of years, while the Bende site had only been under cultivation for decades. An overview of the sampling points at each site is given in Fig. 2. The profiles were described according to the recommended procedure of the Food and Agriculture Organization (1977) using horizon designations of the Soil Survey Staff (1981). Furthermore, US Soil Taxonomy (Soil Survey Staff 2006) was applied to classify the soils.

The soil samples obtained were air-dried and crushed to pass through a 2 mm sieve. Bulk density was determined using the clod method (Blake 1965) with paraffin wax melted at 60-70°C. Particle size analysis was done using the hydrometer method (Bouyoucos 1962). Soil pH was measured potentiometrically in distilled water and 1.0 mol L⁻¹ KCl (1:1 soil: liquid ratio) using a pH meter after equilibration for 30 min. Exchangeable bases (Ca, Mg, K and Na) were extracted with 1.0 mol L⁻¹ neutral NH₄OAc. Calcium and Mg were determined by atomic absorption spectrometry (AAS), but K and Na were examined on a flame photometer. Exchangeable acidity (Al and H) was extracted with 1.0 mol L-1 KCl and titrated according to Yuan's method (Yuan 1959). Effective cation exchange capacity (ECEC) is the summation of exchangeable bases and exchangeable




Figure 1 The study sites on a vegetation map of Nigeria.




Figure 2 Brief description of the sampling points in the inland valleys.

acidity. Organic C was obtained using the chromic acid digestion method (Allison 1965). Total N was examined using the macro-Kjeldahl method in a Tecator digester system, with N-estimation by a Technicon's auto-analyzer. Available P was obtained using the Bray-1 method followed by a colorimetric examination with molybdate. Free Fe (Fe_d) was extracted using the dithionite-citratebicarbonate (DCB) method according to Mehra and Jackson (1960). Amorphous Fe (Fe_o) soluble in acidified NH₄-oxalate was extracted twice from a 1.0 g soil sample by 30 mL of Tamm-A reagent (Tamm 1922) after 1 h shaking in the darkness. The concentration of Fe in the extractants was determined by AAS. The ratio of Fe₀/Fe_d was calculated as an index for the activity of iron oxides (Nagatsuka 1973).

RESULTS AND DISCUSSION

Morphological features

Field observations described the morphological properties of the soils in Abakaliki and Bende (Table 1). All the pedons examined had some mottled horizons either at the epipedon or at the subsoil horizons, which reflected an annual cycle of a wet/dry soil moisture regime (i.e. hydromorphism). Grayish matrix color with low chroma of the pedons also indicated that these soils had developed under the influence of reduced conditions. However, AK-5, BD-3 and BD-4 located on the fringe had relatively a brownish color, regardless of the presence of mottles. The increasing redness of soils on the upslope can be ascribed to decreasing hydration of iron oxides, as described by Torrent et al. (1984). The preponderance of Fe/Mn concretions was observed at some subsoil horizons of all the pedons in Abakaliki in collaboration with fragipan at the horizon A2feg and 2Bwfeg in the pedons AK-3 and AK-5, respectively, while the soils in Bende had pedons free of concretions with the exception of the pedon BD-1 (Table 1). This indicated rapid changes in aeration and a concordant fluctuation of redox potentials in the soils of Abakaliki. The formation of horizons with Fe and Mn accumulation was commonly observed in seasonally flooded soils, which reflected the redistribution of Fe and Mn in the flooded profiles (Pickering and Veneman 1984). In contrast, sub-angular blocky was the dominant structure in the pedons of Abakaliki, while angular blocky structure was found in some clayey horizons of Bende. All profiles had the cambic horizon in the subsoil and an aquic moisture regime except for the pedon AK-5, which represented an udic moisture regime.

Physical properties

Table 2 represents selected physicochemical properties of the soils at the study sites. The mechanical analysis showed that the soils in Abakaliki were generally silty. The silt content ranged from 20.4 to 56.2% except in 3BCg and 3Cg horizons of the pedon AK-5, which contained 8.4 and 8.8% of the silt, respectively. In most cases in Abakaliki, the clay content was higher than the sand content. In contrast, the silt content of the pedons in Bende seldom exceeded 20.0%. The sand proportion decreased with increases in soil depth in the pedon BD-1, while in the other pedons of Bende the sand distribution was erratic. The pedons BD-1 and BD-2 at the bottom were clayey, while the pedons BD-3 and BD-4 on the fringe had considerably high sand content. This might reflect the influence of transportation and deposition of materials from the upland into the lowland, whereby coarse materials could deposit first. The particle size distribution at these two sites was considered to be distinctive among inland valleys in West Africa, which usually have a sandy texture (Buri et al. 1999). The soils in Abakaliki and Bende formed on shale materials in the Cretaceous or Tertiary era and, thus, had a relatively high content of clay. In contrast, most soils in inland valleys of West Africa have a low clay content derived from granites and associated metamorphic

Table 1 Morphological characteristics of the soils of the inland valleys

		Cc	olor					
Horizon	Depth (cm)	Matrix	Mottle	Texture	Structure	Consistence	Boundary	Others
Pedon AK	K-1, Fluvaque							
Аp	0–20		10YR6/8	SiCL		fr shs shp	a s	-
A2	20-40	10YR7/3		SiL	3 m sbk	fi shs shp	a s	-
Bwg1	40-81	10YR7/2		CL	3 m sbk	fi shs shp	a s	Fe/Mn concretion > 15%
Bwg2	81–111	10YR7/2		SiL	4 m sbk	fi vs vp	g s	Fe/Mn concretion <10%
Bwg3	111–170	10YR7/2		SiL	4 m sbk	fi s p	c s	Mn cocretion < 10%
BCg	170–194		10YR5/6	L	3 m sbk	fi s p	-	Mn concretion > 20% and quartz gravels
	C-2, Fluvaque							
Ag	0–28	2.5Y5/1	7.5YR5/6		2 f sbk	fr shs shp	c s	-
A2 g	28-47		7.5YR5/6		3 f sbk	fr shs shp	c s	
2Bwg	47–74		2.5YR3/6		3 m sbk	fr shs shp	a s	Fe/Mn concretion > 15%
2Bg	74 – 109		10YR6/6		3 m sbk	frsp	d s	Mn concretion < 10%
2BCg	109–150		10YR6/6	SiCL	3 m sbk	fr shs shp	_	Mn concretion > 15%
	C-3, Aeric Fra			_				
Apg	0–28	7.5Y7/1	10YR5/8		2 f sbk	fr shs shp	a s	_
A2feg	28-54		7.5YR2/1		ND	ND	c s	Fe concretion > 80%
B1 g	54 – 100	7.5Y7/1	10YR5/8		ND	ND	a s	Fe/Mn concretion < 10%
B2 g	100–158	7.5Y7/1	10YR5/8	С	3 m sbk	fi s p	_	Quartz gravels
	C-4, Fluvaque							
Apg	0-30	2.5Y5/1	7.5YR5/6			fr shs shp	c s	_
Bwg1	30-50		7.5YR5/6		3 m sbk	fr shs shp	c s	-
Bwg2	50-98		2.5YR4/6		3 m sbk	fr shs shp	a s	Fe/Mn concretion > 15%
BCg	98–148		10YR6/6	SiCL	4 c sbk	fr shs shp	_	Mn concretion < 10%
	C-5, Typic Fra							
Аp	0-20	7.5YR4/4		SiCL	2 f gr	fr shs shp	d s	_
AB	20-50	7.5YR4/4		SiCL	2 f sbk	fr shs shp	a s	_
2Bw	50-76	10YR5/6		SL	3 m sbk	fr shs shp	c s	_
2Bwfeg			10YR5/6		ND	ND	a s	Fe concretion > 80%
3BCg	95–135	7.5Y7/1	10YR5/8			fi s p	g s	_
3Cg	135–170	7.5Y7/1	10YR5/6	SL	3 m sbk	fi s p	_	-
	-1, Fluvaque		iepts					
Аp	0-21	5YR3/2	_	SCL		frsp	c s	-
Bw1	21-50	7.5YR6/1		С	3 m abk		c s	-
Bwg2	50-85		2.5YR3/4		4 m abk		g s	Mn concretion < 10%
Bwg3	85-100		2.5YR4/8		4 c abk	vfi vs vp	c s	Mn concretion > 15%
BCg	100–158		10YR5/8	С	4 c abk	fi vs vp	_	Mn concretion > 15%
)-2, Fluvaque							
Ap1	0–20	7.5YR3/2		С	2 f sbk	fr shs shp	c s	_
Apg2	20–52		7.5YR5/6		3 f sbk	frsp	a s	_
Bwg1	52-89	2.5Y6/2	2.5YR4/8		4 m abk		a w	_
Bwg2	89-120		10R3/4		4 m abk		c s	-
BCg	120–165	2.5Y6/1	2.5YR4/8	SCL	3 f sbk	fr s p	_	_
)-3, Fluvaque							
Ap	0–20		7.5YR4/6		3 f sbk	fr shs shp	c s	_
Bw1	20-73		7.5YR4/6		3 m abk		c s	-
Bw2	73–100	7.5YR6/1		SCL	4 m abk		g s	-
BC	100–152+	7.5YR6/2		SL	3 m abk	fi vs vp	-	-
	0-4, Fluvaque							
Ap	0-18	10YR3/2		SL	3 f sbk	fr shs shp	c s	-
Bw1	18-30	10YR5/2		SCL	3 m sbk	fi s p	c s	-
Bw2	30-75		7.5YR5/6	SCL	4 m abk		a w	_
BC	75-144	7.5YR6/1	_	SL	2 f gr	vfr shs shp	_	_

SiCL, silty clay loam; SiL, silty loam; CL, clay loam; L, loamy; SiC, silty clay; C, clayey; SL, sandy loam; LS, lomy sand; SC, sandy clay; SCL, sandy clay loam; 2, moderate; 3, strong; 4, very strong; m, medium; f, fine; c, coarse; sbk, subangular blocky; abk, angular blocky; gr, granular; fr, friable; fi, firm; vfi, very firm; vfr, very friable; shs, slightly sticky; vs, very sticky; s, sticky; shp, slightly plastic; vp, very plastic; p, plastic; a, abrupt; c, clear; g, gradual; d, diffuse; f, flat; s, smooth; w, wavy; ND, not determined.

Table 2 Selected physicochemical properties of the soils of the inland valleys studied

Horizon (cm) (%) (%) (%) (gccm ⁻³) H ₂ O KCI Pedon AK-1 Ap		-	-	:	(Bulk	Hd	_	<u>නි</u>	changes	Exchangeable cations (cmol _c kg ⁻¹)	ons (cmo	ol _c kg ⁻¹)		, ((-	4
0-20 14.4 50.0 35.6 1.65 4.9 20-40 26.0 56.2 17.8 0.93 6.1 40-81 34.0 42.0 24.0 0.93 8.0 1111-170 20.4 50.6 29.0 0.99 9.0 0.99 9.0 1111-170 20.4 50.6 29.0 1.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 109-150 14.5 51.5 34.0 1.41 8.3 100-158 30.0 22.0 48.0 1.70 7.4 4.6 53.4 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 30-50 14.2 52.0 48.0 1.70 7.4 4.6 50-98 18.2 51.8 30.0 1.51 7.3 4.5 50-20 18.0 43.8 38.2 1.93 5.0 50-20 18.0 43.8 38.2 1.93 5.0 50-76 53.4 37.8 1.93 1.93 5.0 50-76 53.4 37.8 1.93 1.93 5.0	Horizon	Depth (cm)	Sand (%)	Salt (%)	Clay (%)	density (g cm ⁻³)	H_2O	KCl	Са	Mg	X	Na	Al	Н	$(\mathrm{cmol_c}\ \mathrm{kg^{-1}})$	Organic C (g kg ⁻¹)	$\begin{array}{c} \text{I otal N} \\ \text{(g kg}^{-1}) \end{array}$	$\begin{array}{c} \text{Bray-1 P} \\ \text{(mg kg}^{-1}) \end{array}$
0-20 14.4 50.0 35.6 1.65 4.9 20-40 26.0 56.2 17.8 0.93 6.1 40-81 34.0 42.0 24.0 0.93 8.0 81-111 20.4 50.6 29.0 0.99 9.0 111-170 20.4 50.6 29.0 1.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 50-98 18.2 51.8 30.0 1.50 5.6 50-76 53.4 3.7 1.9 3.8 5.0																		
20-40 26.0 56.2 17.8 0.93 6.1 40-81 34.0 42.0 24.0 0.93 8.0 81-111 20.4 50.6 29.0 0.99 9.0 111-170 20.4 50.6 29.0 0.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 100-158 30.0 52.5 2.04 4.7 28-54 36.0 44.0 20.0 1.20 4.8 54-100 30.5 27.5 42.0 1.04 6.3 30-20 14.2 52.0 48.0		0-20	14.4	50.0	35.6	1.65	4.9	4.6	1.27	0.54	0.24	0.13	1.78	0.80	4.76	19.7	1.3	2.4
40-81 34.0 42.0 24.0 0.93 8.0 81-111 20.4 50.6 29.0 0.99 9.0 111-170 20.4 50.6 29.0 1.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 100-158 30.0 52.5 2.04 4.7 28-54 36.0 44.0 20.0 1.20 4.8 50-8-54 36.0 44.0 20.0 1.70 7.4 0-30 14.2 52.0 48.0		20-40	26.0	56.2	17.8	0.93	6.1	5.7	1.08	0.71	0.93	0.05	0.56	0.22	3.55	9.3	0.3	1.8
81-111 20.4 50.6 29.0 0.99 9.0 111-170 20.4 50.6 29.0 1.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 0-28 14.6 53.4 32.0 1.43 5.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 109-150 14.5 51.5 34.0 1.68 8.9 100-158 30.0 44.0 20.0 1.64 8.3 54-100 30.5 27.5 42.0 1.04 6.3 30-50 14.2 52.0 48.0 1.74 4.6 50-98 18.2 20.0 20.0 1.51 7.3 9-148 20.0 20.0		40–81	34.0	42.0	24.0	0.93	8.0	7.3	1.56	1.88	3.53	0.12	0.10	0.02	7.21	9.3	0.4	1.8
111-170 20.4 50.6 29.0 1.16 7.7 170-194 12.0 42.0 46.0 1.71 9.1 0-28 14.6 53.4 32.0 1.43 5.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 50-98 18.2 51.8 30.0 1.51 7.3 0-20 18.2 50.0 30.0 1.51 7.3 0-20 18.2 44.0 37.8 1.93 4.9 50-76 44.0 37.8 1.11 47 51.74 45.7 1.11 47 <tr< td=""><td></td><td>81–111</td><td>20.4</td><td>50.6</td><td>29.0</td><td>0.99</td><td>9.0</td><td>8.1</td><td>1.81</td><td>2.34</td><td>4.72</td><td>0.24</td><td>0.34</td><td>0.13</td><td>9.58</td><td>8.3</td><td>0.3</td><td>1.8</td></tr<>		81–111	20.4	50.6	29.0	0.99	9.0	8.1	1.81	2.34	4.72	0.24	0.34	0.13	9.58	8.3	0.3	1.8
170–194 12.0 42.0 46.0 1.71 9.1 0–28 14.6 53.4 32.0 1.43 5.1 28–47 34.0 38.5 27.5 1.19 4.2 47–74 12.0 51.5 36.5 1.05 6.0 74–109 20.0 40.0 40.0 1.68 8.9 109–150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28–54 36.0 44.0 20.0 1.22 4.8 54–100 30.5 27.5 42.0 1.04 6.3 100–158 30.0 22.0 48.0 1.70 7.4 0–30 34.0 20.4 45.6 1.53 4.5 50–8 18.2 52.0 33.8 1.74 4.6 50–8 18.2 51.8 30.0 1.51 7.3 0-20 18.0 43.8 38.2 1.93 4.9 50–75 53.4 37.8 1.93 4.9 50–75 44.0 37.8 1.11 47 50–75 44.0 37.8 1.93 4.9		111-170	20.4	50.6	29.0	1.16	7.7	7.3	2.81	3.70	3.71	0.11	0.19	0.04	10.56	8.2	0.2	2.7
0-28 14.6 53.4 32.0 1.43 5.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-8 18.2 51.8 30.0 1.51 7.3 98-148 20.0 50.0 30.0 1.51 7.3 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 <td></td> <td>170-194</td> <td>12.0</td> <td>42.0</td> <td>46.0</td> <td>1.71</td> <td>9.1</td> <td>8.2</td> <td>3.78</td> <td>2.48</td> <td>3.77</td> <td>0.11</td> <td>90.0</td> <td>0.01</td> <td>10.21</td> <td>2.6</td> <td>0.2</td> <td>2.7</td>		170-194	12.0	42.0	46.0	1.71	9.1	8.2	3.78	2.48	3.77	0.11	90.0	0.01	10.21	2.6	0.2	2.7
0-28 14.6 53.4 32.0 1.43 5.1 28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-8 18.2 51.8 30.0 1.51 7.3 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.2 44.0 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.4 1.1 47																		
28-47 34.0 38.5 27.5 1.19 4.2 47-74 12.0 51.5 36.5 1.05 6.0 74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-9 18.2 51.8 30.0 1.51 7.3 0-20 18.2 44.0 37.8 1.93 4.9 50-76 53.4 37.4 1.1 47 50-76 53.4 37.8 1.93 4.9		0-28	14.6	53.4	32.0	1.43	5.1	8.8	0.46	0.30	0.32	90.0	2.89	0.17	4.20	9.3	0.4	1.4
47–74 12.0 51.5 36.5 1.05 6.0 74–109 20.0 40.0 40.0 1.68 8.9 109–150 14.5 51.5 34.0 1.41 8.3 0–28 4.8 40.0 55.2 2.04 4.7 28–54 36.0 44.0 20.0 1.22 4.8 54–100 30.5 27.5 42.0 1.04 6.3 100–158 30.0 22.0 48.0 1.70 7.4 0–30 34.0 20.4 45.6 1.53 4.5 50–8 18.2 52.0 33.8 1.74 4.6 50–9 18.2 51.8 30.0 1.51 7.3 0–20 18.0 43.8 38.2 1.93 5.0 20–76 53.4 37.8 1.93 4.9 50–76 53.4 37.8 1.93 4.9		28-47	34.0	38.5	27.5	1.19	4.2	4.0	68.0	0.40	0.18	0.14	2.92	0.37	4.90	20.8	1.3	2.1
74-109 20.0 40.0 40.0 1.68 8.9 109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-98 182 51.8 30.0 1.50 5.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.2 44.0 37.8 1.93 5.0		47–74	12.0	51.5	36.5	1.05	0.9	5.6	1.81	2.14	2.04	60.0	1.90	0.50	8.48	9.5	0.4	6.0
109-150 14.5 51.5 34.0 1.41 8.3 0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-98 18.2 51.8 30.0 1.51 7.3 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.2 44.0 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9 50-76 53.4 37.8 1.93 4.9		74–109	20.0	40.0	40.0	1.68	8.9	8.0	2.74	3.23	4.85	0.24	0.10	0.02	11.18	7.8	0.2	1.0
0-28		109-150	14.5	51.5	34.0	1.41	8.3	7.5	3.97	3.90	4.91	0.03	0.25	0.05	13.11	7.8	0.3	1.8
0-28 4.8 40.0 55.2 2.04 4.7 28-54 36.0 44.0 20.0 1.22 4.8 54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 50-98 18.2 52.0 33.8 1.74 4.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 43.8 38.2 1.93 5.0 20-76 53.4 37.8 1.93 4.9																		
28–54 36.0 44.0 20.0 1.22 4.8 54–100 30.5 27.5 42.0 1.04 6.3 100–158 30.0 22.0 48.0 1.70 7.4 0–30 34.0 20.4 45.6 1.53 4.5 50–98 18.2 51.8 30.0 1.50 5.6 98–148 20.0 50.0 30.0 1.51 7.3 0–20 18.0 43.8 38.2 1.93 5.0 20–56 53.4 37.8 1.93 4.9 50–75 53.4 37.4 1.1 4.7		0-28	4.8	40.0	55.2	2.04	4.7	4.2	0.43	0.39	0.18	0.35	2.94	0.36	4.65	14.1	0.7	0.6
54-100 30.5 27.5 42.0 1.04 6.3 100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-98 18.2 51.8 30.0 1.50 5.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 43.8 38.2 1.93 5.0 20-50 18.2 44.0 37.8 1.93 4.9 50-76 53.4 3.2 4.3 1.11 4.7		28–54	36.0	44.0	20.0	1.22	8.8	4.6	1.18	1.77	0.17	0.11	2.40	0.59	6.22	13.6	8.0	1.5
100-158 30.0 22.0 48.0 1.70 7.4 0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-98 18.2 51.8 30.0 1.50 5.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 43.8 38.2 1.93 5.0 20-50 18.2 44.0 37.8 1.93 4.9 50-76 53.4 37.4 1.1 4.7		54-100	30.5	27.5	42.0	1.04	6.3	0.9	5.91	5.09	0.50	0.13	0.56	0.07	12.26	9.1	9.4	1.2
0-30 34.0 20.4 45.6 1.53 4.5 50-98 18.2 51.8 30.0 1.50 5.6 58-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 44.0 37.8 1.93 5.0 50-76 53.4 33.4 1.7 11 4.7		100-158	30.0	22.0	48.0	1.70	7.4	8.9	8.92	4.69	0.77	0.13	0.10	0.03	14.64	8.1	0.3	1.0
0-30 34.0 20.4 45.6 1.53 4.5 30-50 14.2 52.0 33.8 1.74 4.6 50-98 18.2 51.8 30.0 1.50 5.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 44.0 37.8 1.93 5.0 50-76 53.4 33.4 14.7 11.1 4.7																		
30–50 14.2 52.0 33.8 1.74 4.6 50–98 18.2 51.8 30.0 1.50 5.6 98–148 20.0 50.0 30.0 1.51 7.3 0–20 18.0 44.0 37.8 1.93 5.0 50–50 53.4 3.2 44.0 37.8 1.93 4.9		0-30	34.0	20.4	45.6	1.53	4.5	4.1	0.53	4.95	0.17	80.0	2.98	0.32	9.03	15.7	8.0	3.3
50-98 18.2 51.8 30.0 1.50 5.6 98-148 20.0 50.0 30.0 1.51 7.3 0-20 18.0 43.8 38.2 1.93 5.0 20-50 18.2 44.0 37.8 1.93 4.9 50-76 53.4 32.4 43.7 1.11 47		30–50	14.2	52.0	33.8	1.74	4.6	4.1	0.24	0.31	0.18	0.05	2.98	0.59	4.35	10.5	9.4	1.8
98–148 20.0 50.0 30.0 1.51 7.3 0–20 18.0 43.8 38.2 1.93 5.0 20–50 18.2 44.0 37.8 1.93 4.9 50–76 53.4 3.7 4.1 11 4.7		50–98	18.2	51.8	30.0	1.50	5.6	5.0	0.38	0.63	0.62	90.0	2.93	0.63	5.25	10.3	9.4	1.3
0-20 18.0 43.8 38.2 1.93 5.0 20-50 18.2 44.0 37.8 1.93 4.9 50-76 53.4 37.4 14.7 111 4.7		98–148	20.0	50.0	30.0	1.51	7.3	6.9	1.49	2.33	3.29	0.07	0.27	0.10	7.55	7.8	0.3	1.0
0-20 18.0 43.8 38.2 1.93 5.0 20-50 18.2 44.0 37.8 1.93 4.9 50-76 53.4 32.4 142 1.11 4.7																		
20–50 18.2 44.0 37.8 1.93 4.9 50–76 53.4 32.4 14.2 111 4.7		0-70	18.0	43.8	38.2	1.93	5.0	4.6	98.0	1.14	0.13	0.10	1.01	0.15	3.39	11.8	0.5	3.6
50_76 53.4 33.4 14.3 111 47		20–50	18.2	44.0	37.8	1.93	4.9	4.6	0.80	0.71	0.15	60.0	1.99	0.83	4.57	11.7	0.5	1.6
30-76 33:4 32:4 14:2 1:11 4:7		92-05	53.4	32.4	14.2	1.11	4.7	4.2	0.62	0.57	0.18	80.0	2.80	0.82	5.07	11.9	9.0	1.4
76–95 38.0 36.0 26.0 1.13 5.4		76–95	38.0	36.0	26.0	1.13	5.4	5.1	0.27	0.21	0.14	0.02	0.20	0.03	0.87	8.9	2.0	1.8
95–135 81.6 8.4 10.0 0.86 5.5		95–135	81.6	8.4	10.0	98.0	5.5	5.3	0.22	0.14	0.13	0.02	99.0	0.07	1.24	6.9	2.3	1.5
135–170 76.0 8.8 15.2 0.88 4.6		135-170	76.0	8.8	15.2	0.88	4.6	4.2	0.30	0.34	0.18	0.07	3.25	0.65	4.79	10.9	9.0	3.1

Table 2 Continued	ntinued																
	,	,		,	Bulk	Hd	Į.	Ē	Exchangeable cations (cmol _c kg ⁻¹)	eable car	ions (cn	nol _c kg ⁻¹	_			,	
Horizon	Depth (cm)	Sand (%)	Silt (%)	Clay (%)	density (g cm ⁻³)	H ₂ O	KCl	Ca	Mg	K	Na	Al	Н	ECEC (cmol _c kg ⁻¹)	Organic C (g kg ⁻¹)	Total N $(g kg^{-1})$	$ m Bray-1~P$ $ m (mg~kg^{-1})$
Pedon BD-1																	
$^{\mathrm{Ap}}$		64.2	4.0	31.8	0.94	5.0	4.6	4.90	2.53	0.20	0.12	2.73	1.10	11.58	20.1	1.8	2.7
Bw1		34.0	19.6	46.4	1.08	4.9	4.6	3.42	2.10	0.16	0.10	2.89	1.31	86.6	15.8	1.2	1.8
Bwg2		26.0	20.0	54.0	1.87	5.0	4.5	4.97	3.07	0.21	0.24	3.14	1.66	13.29	11.6	6.0	1.5
Bwg3		25.8	16.2	58.0	2.01	4.9	4.6	3.16	2.60	0.18	0.14	3.25	1.70	11.03	8.6	0.7	1.5
BCg	100 - 158	30.0	16.8	53.2	1.82	5.1	4.8	3.70	2.93	0.22	0.24	2.03	1.27	10.39	9.2	0.5	9.0
Pedon BD-2																	
Ap1		40.0	14.3	45.7	0.89	4.9	4.6	6.44	3.19	0.21	0.22	1.97	0.80	12.83	23.9	2.3	3.2
Apg2		47.5	14.0	38.5	0.91	4.7	4.5	4.77	2.59	0.20	0.14	2.46	0.71	10.87	13.9	0.7	1.2
Bwg1		38.0	10.0	52.0	1.36	5.0	4.6	3.46	2.47	0.20	0.15	2.02	1.10	9.40	6.6	9.0	10.8
Bwg2		28.2	11.8	0.09	2.06	5.0	4.6	3.64	2.73	0.19	0.22	2.15	1.17	10.10	9.5	0.5	1.0
BCg		70.0	8.0	22.0	0.80	8.4	4.4	3.62	3.01	0.20	0.25	2.60	1.72	11.40	9.4	0.5	8.0
Pedon BD-3																	
$^{ m Ap}$		52.1	10.6	37.3	0.94	5.2	4.8	0.61	0.49	0.17	60.0	2.63	1.70	5.69	20.2	1.2	1.0
Bw1		48.0	10.0	42.0	1.04	5.8	5.2	09.0	0.74	0.17	80.0	2.95	1.75	6.29	13.4	6.0	1.8
Bw2		63.5	6.2	30.3	96.0	4.7	4.3	0.71	0.91	0.17	0.10	2.72	1.81	6.42	13.1	0.7	9.0
BC		76.0	6.2	17.8	0.80	5.0	4.8	0.63	09.0	0.19	0.25	1.98	1.29	4.94	11.5	0.5	1.8
Pedon BD-																	
Ap		77.4	4.4	18.2	0.73	5.5	5.1	09.0	0.23	0.15	0.04	2.85	86.0	4.85	19.0	1.4	2.1
Bw1		70.0	0.9	24.0	0.92	5.3	5.0	0.51	0.32	0.16	0.04	2.24	1.29	4.56	4.2	6.4	1.6
Bw2		68.0	4.3	27.7	1.01	5.1	4.8	0.54	0.51	0.14	90.0	2.82	0.94	5.01	10.0	0.5	1.2
BC		82.2	3.8	14.0	0.85	5.1	4.9	0.34	0.26	0.15	0.05	2.16	1.87	4.83	8.2	0.3	10.2

rocks of Pre-Cambrian metamorphic rocks, called Basement Complex (Windmeijer and Andriesse 1993).

The implication of soil particle size distribution on water movement is that the soils would have the ability to retain a high amount of water. Thus, the cultivation of swamp rice in Abakaliki and Bende should not pose any problems. However, Abakaliki appears more promising for wet rice cultivation than Bende because of the higher silt content, which in addition to the clay in the soils of Abakaliki would enhance more water retention than the soils of Bende. In contrast, the relative accumulation of clay at the surface horizons of all the pedons in Abakaliki might be a reflection of good land and water management practices, such as the maintenance of fairly good paddies, even though this area is only at a rudimentary stage of sawah development (leveled and bounded rice field with an inlet and an outlet for irrigation and drainage). This would attribute to nature of parent materials in the region.

Bulk density of the soils ranged between 0.80 and 2.06 g cm⁻³. No definite pattern of bulk density within the profile was observed, whereas the surface horizons of pedons in Abakaliki tended to have a higher bulk density than those in Bende.

Chemical characteristics

In general, the soils in Abakaliki had acidic horizons, but their subsurface horizons were neutral to slightly alkaline, except for the pedon AK-5, which had acidic subsoils (Table 2). In contrast, all the pedons in Bende showed acidic reaction throughout the profile. Correspondingly, the content of exchangeable bases was generally low, but the amount of exchangeable acidity was relatively high in these soils. The acidic nature of parent rocks and leaching effects under high rainfall would be responsible for the acidic reactions of the soils in the region (Eshett et al. 1990). The subsoil horizons of the pedons AK-1, AK-2, AK-3 and AK-4 in Abakaliki had a high content of exchangeable bases in accord with the high pH values, indicating leaching of the bases in the surface horizon and their accumulation in the subsoil. In contrast, the pedons BD-1 and BD-2 on the downslope of Bende had a relatively high content of exchangeable bases throughout the profiles regardless of their acidic reactions, while soils on the upslope (i.e. pedons BD-3 and BD-4) contained less exchangeable bases. These results implied that the rolling topography of the inland valley of Bende (see Fig. 2) accelerated the translocation of the bases down the slope and their accumulation at the valley bottom. The values of ECEC of these soils varied substantially from 0.87 to 14.64 cmol_c kg⁻¹, but were generally low. Although these soils had a relatively high content of 2:1-type phyllosilicates, interlayering of hydroxyl-Al in these minerals would reduce their nutrient-holding capacity (S. Abe et al., in press). The contents of organic C at the surface horizons were relatively high because of large biomass production in the humid climate, ranging from 9.3 to 19.7 g C kg⁻¹ for Abakaliki and from 19.0 to 23.9 g C kg⁻¹ for Bende, and decreased with soil depth. However, an abrupt increase in organic C was observed at a stratified horizon in the subsoil of the pedon AK-5, while its substantial decrease at the Bw1 horizon of the pedon BD-4 resulted from tilling effects. The distribution of total N followed a similar pattern to organic C, but its values ranged between 0.4 and 2.3 g N kg⁻¹ at the surface horizon of these soils. In general, the Bray-1 P values of these soils were very low (1.0–9.0 mg P kg⁻¹) and the acidic reactions of the soils resulted in the low levels of Bray-1 P. The acidic reactions and the relatively high content of organic C and exchangeable acidity and low amount of exchangeable bases and available P are common in inland valley soils under a humid tropical climate in West Africa (Buri et al. 1999; Issaka et al. 1997).

Active Fe ratios (Fe_o/Fe_d) in the pedons at the study sites were generally low and decreased with soil depth (Fig. 3). This indicated that a higher proportion of Fe was in more crystalline forms at the lower horizons, which corroborated the presence of Fe concretions at the subsoil horizons in the Abakaliki soils and in pedon BD-1 (Table 1). In hydromorphic soils, a zone of Fe accumulation could indicate a zone of fluctuating water table (Okusami et al. 1987). All the soils in Abakaliki and the pedons BD-1 and BD-2 had perched water tables, whereas the pedons BD-3 and BD-4 owed their hydromorphism, in general, to high groundwater tables. In contrast, the content of exchangeable acidity and the percentage of Al saturation to ECEC may be useful indices for soil horizon development, which was sometimes obscured by subtle differences in morphological features in the tropical area (Okusami et al. 1987). In general, Al saturation has been found to be higher in hydromorphic soils (Ragland and Coleman 1959). A greater Al saturation at the upper horizons of the pedons AK-1 and AK-3 suggested in situ weathering of the horizons that had formed in homogenous parent materials. The pedon AK-2 showed a similar trend in Al saturation to AK-1 and AK-3 despite lithological discontinuity, while AK-5, with multi-parent materials, represented its irregular distribution pattern. The relatively high Al saturation obtained in the pedons AK-4, AK-5, BD-3 and BD-4 and at the upper horizons of AK-2 and AK-3 (Fig. 3) would support the ferrolysis concept of Brinkman (1970) and the hypothesis of Buol et al. (1980) who proposed that clay mineral lattice destruction resulted in the release of Al ions. Ferrolysis was also well demonstrated by the presence of hydroxyl-Al interlayered 2:1 clays in these soils (S. Abe et al., in




Figure 3 Distribution of the active Fe ratio (Fe_o/Fe_d) and Al saturation (%) in the soils of the inland valleys.

press). A distinct accumulation of Al, especially in hydromorphic soils with perched water table (e.g. the pedon AK-4 in Fig. 3), could indicate the actively weathering zone of the solum because exchangeable Al was not considered to be very mobile in the soil (Gotoh 1976).

Conclusions

Soils in Abakaliki and Bende had relatively high contents of clay and silt, reflecting the nature of the parent materials (i.e. shale materials) and suggested a promising water-holding capacity. In contrast, these soils generally showed poor fertility characteristics resulting from the severe weathering process and leaching effect under the influence of hydromorphic conditions and high precipitation. From the findings of the present study, it was concluded that the inland valleys at both sites would be suitable for swamp rice cultivation if an appropriate management practice (e.g. *sawah* system) was applied with substantial resource investments. Thus, the inland valleys in Abakaliki and Bende may provide an appropriate site to examine *sawah* technology.

ACKNOWLEDGMENTS

The authors would like to express their sincere gratitude to Dr P. Schad for guidance on soil classification. Drs T. Endo and A. Zahoor are acknowledged for their useful comments on an earlier draft of this manuscript. Our thanks are also extended to Mr Manpuku S. Tokumoto for the preparation of Fig. 1.

REFERENCES

- Abe SS, Masunaga T, Yamamoto S, Honna T, Wakatsuki T 2006: Comprehensive assessment of the clay mineralogical composition of lowland soils in West Africa. Soil Sci. Plant Nutr., 52, 479-488.
- Abe SS, Oyediran GO, Masunaga T, Yamamoto S, Honna T, Wakatsuki T Primary mineral characteristics of topsoil samples from lowlands of seven West African countries. Jpn. J. Trop. Agric. (in press)
- Allison LE 1965: Organic carbon. In Methods of Soil Analysis, Part 2. Ed CA Black, pp. 1367-1378, American Society of Agronomy (ASA), Madison.
- Andriesse W, Fresco LO 1991: Characterization of rice-growing environments in West Africa. Agric. Ecosyst. Environ., 33, 377-395.
- Blake GR 1965: Bulk density. In Methods of Soil Analysis, Part 2. Ed CA Black, pp. 375-377, American Society of Agronomy (ASA), Madison.
- Bouyoucos GJ 1962: Hydrometer method improved for making particle size analysis of soils. Agron. J., 54, 464-
- Brinkman R 1970: Ferrolysis, a hydromorphic soil forming process. Geoderma, 3, 199-206.
- Buol SW, Hole FD, McCraken RJ 1980: Soil Genesis and Classification, 2nd edn. Iowa State University Press, Iowa.
- Buri MM, Masunaga T, Ishida F, Kubota D, Wakatsuki T 1999: Soils of flood plains in West Africa: general fertility status. Soil Sci. Plant Nutr., 45, 37-50.
- Eshett ET, Omueti JAI, Juo ASR 1990: Physico-chemical, morphological, and clay mineralogical properties of soils overlying basement complex rocks in Ogoja, North Cross River state of Nigeria. Soil Sci. Plant Nutr., 36, 203 - 214.
- Food and Agriculture Organization 1977: Guidelines for Soil Profile Description, 2nd edn. Food and Agriculture Organization, Rome.
- Federal Survey 1992: Geological Map of Nigeria. Federal Survey, Lagos.
- Gotoh S 1976: Distribution of total and extractable forms of iron, manganese, and aluminum in development of rice soils of Saga polder lands. Soil Sci. Plant Nutr., 22, 335-344.

- International Institute of Tropical Agriculture 1990: IITA Annual Report 1989/90. International Institute of Tropical Agriculture, Ibadan.
- Issaka RN, Ishida F, Kubota D, Wakatsuki T 1997: Geographical distribution of selected soil fertility parameters of inland valleys in West Africa. Geoderma, 75, 99-116.
- Mehra OP, Jackson ML 1960: Iron oxide removal from soils and clays by a dithionite-citrate system buffered with sodium bicarbonate. Clays Clay Miner., 5, 317-327.
- Nagatsuka S 1973: On the features of iron oxides in Brown Forest, Yellow Brown Forest and Red soils of Japan. Pedologist, 17, 70-83 (in Japanese).
- Okusami TA, Rust RH, Juo ASR 1987: Properties and classification of five soils on alluvial landforms in central Nigeria. Can. J. Soil Sci., 67, 249-261.
- Pickering EW, Veneman PLM 1984: Moisture regimes and morphological characteristics in a hydrosequence in central Massachusetts. Soil Sci. Soc. Am. J., 48, 113-118.
- Ragland JR, Coleman TN 1959: The effect of soil solution aluminum and calcium in root growth. Soil Sci. Soc. Am. Proc., 23, 355-357.
- Soil Survey Staff 1981: New Survey Manual, Designations for Horizons and Layers. United States Department of Agriculture (USDA), Washington.
- Soil Survey Staff 2006: Keys to Soil Taxonomy, 10th edn. United States Department of Agriculture (USDA), Washington.
- Tamm O 1922: Eine methode zur bestimmung der anorganischen komponente des gelkomplexes im boden. Medd. fr. Statens Skogsförsöksanstalt, 19, 387-404.
- Torrent J, Schwertmann U, Fechter H, Alferez Z 1984: Quantitative relationships between soil colour and hematite content. Soil Sci., 136, 354-358.
- Wakatsuki T, Masunaga T 2005: Ecological engineering for sustainable food production and the restoration of degraded watersheds in tropics of low pH soils: focus on West Africa. Soil Sci. Plant Nutr., 51, 629-636.
- West Africa Rice Development Association 1997: WARDA Annual Report 1996. West Africa Rice Development Association, Bouaké.
- West Africa Rice Development Association 2002: WARDA Annual Report 2001-2002. West Africa Rice Development Association, Bouaké.
- West Africa Rice Development Association 2004: Medium Term Plan 2005-2007: Charting the Future of Rice in Africa. West Africa Rice Development Association, Bouaké.
- Windmeijer PN, Andriesse W 1993: Inland Valleys in West Africa: An Agro-Ecological Characterization of Rice-Growing Environments. International Land Reclamation Institute (ILRI), Wageningen.
- Yuan TL 1959: Determination of exchangeable hydrogen in soils by a titration method. Soil Sci., 88, 164-167.